## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER:

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
100	91	("6226567" "6226567" "5831875" "6327518"	USPAT;	2004/08/31
		"6631308" "6224249" "6224249" "6252544"	US-PGPUB;	17:55
-		"6292830" "6429812" "4956790" "5526254"	EPO; JPO;	
J		"6330495" "5615104" "5613913" "5738584"	DERWENT;	
		"6271857" "4831548" "5475613" "5692144"	IBM_TDB	
}		"4764179" "4851905" "4992962" "5267143"		
		"5455765" "5615108" "5696673" "5721677"		
1		"5828566" "6268853" "5762983" "6088628"		
]		"5184051" "5219291" "5483630" "5687295"		
1		H001708 "5937143" "6005589" "6388655"		
		"6690156" "5495410" "5880956" "5819016"		
		1		
		"5775998" "5313385" "5495576" "5616031"		
		"5721691" "5724489").pn.		2224422424
111	11	("6226567" "6226567" "5831875" "6327518"	USPAT;	2004/08/31
Í		"6631308" "6224249" "6224249" "6252544"	US-PGPUB;	17:59
		"6292830" "6429812" "4956790" "5526254"	EPO; JPO;	
- 1		"6330495" "5615104" "5613913" "5738584"	DERWENT;	
		"6271857" "4831548" "5475613" "5692144"	IBM_TDB	
1		"4764179" "4851905" "4992962" "5267143"		
1		"5455765" "5615108" "5696673" "5721677"		
[		"5828566" "6268853" "5762983" "6088628"		
j		"5184051" "5219291" "5483630" "5687295"		
		H001708 "5937143" "6005589" "6388655"		
		"6690156" "5495410" "5880956" "5819016"		
		"5775998" "5313385" "5495576" "5616031"		
		"5721691" "5724489").pn. and (graphic\$4 display\$3		
j		screen) same (3-d 3d three-dimension\$2 three-d		
		3-dimension\$2 (three US-5486995-A.DID.) near		
		(dimension\$2 d)) same (model\$4 simulat\$4) same		
ł				
112		(motion mov\$4 animat\$4)	LICDAT.	2004/09/21
112	5	("6226567" "6226567" "5831875" "6327518"	USPAT;	2004/08/31
		"6631308" "6224249" "6224249" "6252544"	US-PGPUB;	18:01
ĺ		"6292830" "6429812" "4956790" "5526254"	EPO; JPO;	
İ		"6330495" "5615104" "5613913" "5738584"	DERWENT;	
		"6271857" "4831548" "5475613" "5692144"	IBM_TDB	
ŀ		"4764179" "4851905" "4992962" "5267143"		
ſ		"5455765" "5615108" "5696673" "5721677"		
j		"5828566" "6268853" "5762983" "6088628"		
		"5184051" "5219291" "5483630" "5687295"		
		H001708 "5937143" "6005589" "6388655"		
		"6690156" "5495410" "5880956" "5819016"		
		"5775998" "5313385" "5495576" "5616031"		
		"5721691" "5724489").pn. and robot same (graphic\$4		
1		display\$3 screen) same (3-d 3d three-dimension\$2	1	
1		three-d 3-dimension\$2 (three US-5486995-A.DID.)		
{		near (dimension\$2 d)) same (model\$4 simulat\$4)		
	!	same (motion mov\$4 animat\$4)		

112	<b> </b>	/#/ 22/5/7# #/ 22/5/7# #5024075# #/ 227540#	HCDAT	2004/09/24
113	5	("6226567" "6226567" "5831875" "6327518" "6631308" "6224249" "6224249" "6252544"	USPAT;	2004/08/31
ĺ	Ì		US-PGPUB;	18:05
ļ		"6292830" "6429812" "4956790" "5526254"	EPO; JPO;	
		"6330495" "5615104" "5613913" "5738584"	DERWENT;	
(	Ì	"6271857" "4831548" "5475613" "5692144"	IBM_TDB	
,	}	"4764179" "4851905" "4992962" "5267143"		
		"5455765" "5615108" "5696673" "5721677"		
1		"5828566" "6268853" "5762983" "6088628"		
		"5184051" "5219291" "5483630" "5687295"		
	1	H001708 "5937143" "6005589" "6388655"		
		"6690156" "5495410" "5880956" "5819016"		
		"5775998" "5313385" "5495576" "5616031"		
		"5721691" "5724489").pn. and robot same (graphic\$4		
ļ		display\$3 screen) same (3-d 3d three-dimension\$2		
	[	three-d 3-dimension\$2 (three US-5486995-A.DID.)		
		near (dimension\$2 d)) same (model\$4 simulat\$4)		
		same (motion mov\$4 animat\$4) and (stor\$3 memory		
	1	database) same (model\$4 simulat\$4)		
114	4	("6226567" "6226567" "5831875" "6327518"	USPAT;	2004/08/31
	1	"6631308" "6224249" "6224249" "6252544"	U5-PGPUB;	18:04
		"6292830" "6429812" "4956790" "5526254"	EPO; JPO;	
	1	"6330495" "5615104" "5613913" "5738584"	DERWENT;	
		"6271857" "4831548" "5475613" "5692144"	IBM_TDB	
		"4764179" "4851905" "4992962" "5267143"		
		"5455765" "5615108" "5696673" "5721677"		
		"5828566" "6268853" "5762983" "6088628"		
		"5184051" "5219291" "5483630" "5687295"		} ·
		H001708 "5937143" "6005589" "6388655"		
		"6690156" "5495410" "5880956" "5819016"		
į		"5775998" "5313385" "5495576" "5616031"		
		"5721691" "5724489").pn. and robot same (graphic\$4		
		display\$3 screen) same (3-d 3d three-dimension\$2		
		three-d 3-dimension\$2 (three US-5486995-A.DID.)		
		near (dimension\$2 d)) same (model\$4 simulat\$4)		
l		same (motion mov\$4 animat\$4) same (stor\$3		
			-	
110		memory database)	LICDAT:	2004/00/24
118	0	("6226567" "6226567" "5831875" "6327518"	USPAT;	2004/08/31
		"6631308" "6224249" "6224249" "6252544"	US-PGPUB;	18:04
		,"6292830" "6429812" "4956790" "5526254"	EPO; JPO;	
	1	"6330495" "5615104" "5613913" "5738584"	DERWENT;	1
		"6271857" "4831548" "5475613" "5692144"	IBM_TDB	
	1	"4764179" "4851905" "4992962" "5267143"		
		"5455765" "5615108" "5696673" "5721677"		
		"5828566" "6268853" "5762983" "6088628"		
	[	"5184051" "5219291" "5483630" "5687295"		
		H001708 "5937143" "6005589" "6388655"		
	[	"6690156" "5495410" "5880956" "5819016"		
	] .	"5775998" "5313385" "5495576" "5616031"		
		"5721691" "5724489").pn. and robot same (graphic\$4		
-		display\$3 screen) same (3-d 3d three-dimension\$2		1
	]	three-d 3-dimension\$2 (three US-5486995-A.DID.)		
		near (dimension\$2 d)) same (model\$4 simulat\$4)		
		same (motion mov\$4 animat\$4) same (stor\$3		1
		memory database) and adjust\$4		

119	0	("6226567" "6226567" "5831875" "6327518"	USPAT;	2004/08/31
•••	1	"6631308" "6224249" "6224249" "6252544"	US-PGPUB;	18:05
		"6292830" "6429812" "4956790" "5526254"	EPO; JPO;	10.03
		"6330495" "5615104" "5613913" "5738584"	DERWENT;	
		"6271857" "4831548" "5475613" "5692144"	IBM_TDB	
		"4764179" "4851905" "4992962" "5267143"	10//_100	
		"5455765" "5615108" "5696673" "5721677"		ļ
		"5828566" "6268853" "5762983" "6088628"	,	
		"5184051" "5219291" "5483630" "5687295"	ł	ļ
				ł
	Í	H001708 "5937143" "6005589" "6388655" "6690156" "5495410" "5880956" "5819016"	j	
		<b>.</b>		
		"5775998" "5313385" "5495576" "5616031"	1	}
		"5721691" "5724489").pn. and robot same (graphic\$4		Ì
	ĺ	display\$3 screen) same (3-d 3d three-dimension\$2	Í	,
	1	three-d 3-dimension\$2 (three US-5486995-A.DID.)	9	
	· '	near (dimension\$2 d)) same (model\$4 simulat\$4)	}	
		same (motion mov\$4 animat\$4) and (stor\$3 memory	j	
		database) same (model\$4 simulat\$4) and adjust\$4		
120	2		USPAT;	2004/08/31
		"6631308" "6224249" "6224249" "6252544"	US-PGPUB;	18:06
	<b>J</b>	"6292830" "6429812" "4956790" "5526254"	EPO; JPO;	_
		"6330495" "5615104" "5613913" "5738584"	DERWENT;	
	1	"6271857" "4831548" "5475613" "5692144"	IBM_TDB	
		"4764179" "4851905" "4992962" "5267143"	į	
	Ţ	"5455765" "5615108" "5696673" "5721677"	ĺ	}
		"5828566" "6268853" "5762983" "6088628"		
		"5184051" "5219291" "5483630" "5687295"		
,	1	H001708 "5937143" "6005589" "6388655"		1
		"6690156" "5495410" "5880956" "5819016"		
	}	"5775998" "5313385" "5495576" "5616031"		
	1	"5721691" "5724489").pn. and robot and (graphic\$4	}	}
	ļ	display\$3 screen) same (3-d 3d three-dimension\$2	1	
	}	three-d 3-dimension\$2 (three US-5486995-A.DID.)		
	}	near (dimension\$2 d)) same (model\$4 simulat\$4)	}	
	1	same (motion mov\$4 animat\$4) and (stor\$3 memory		
	İ	database) same (model\$4 simulat\$4) and adjust\$4		
121	2	("6226567" "6226567" "5831875" "6327518"	USPAT;	2004/08/31
	1	"6631308" "6224249" "6224249" "6252544"	US-PGPUB;	18:06
	ŀ	"6292830" "6429812" "4956790" "5526254"	EPO; JPO;	
	1	"6330495" "5615104" "5613913" "5738584"	DERWENT;	
	1	"6271857" "4831548" "5475613" "5692144"	IBM_TOB	
		"4764179" "4851905" "4992962" "5267143"		
	ł	"5455765" "5615108" "5696673" "5721677"		
	}	"5828566" "6268853" "5762983" "6088628"		
	1	"5184051" "5219291" "5483630" "5687295"	,	
	}	H001708 "5937143" "6005589" "6388655"	į	
	Ì	"6690156" "5495410" "5880956" "5819016"		
	]	"5775998" "5313385" "5495576" "5616031"		
	1			
		"5721691" "5724489").pn. and robot and (graphic\$4		
	1	display\$3 screen) same (3-d 3d three-dimension\$2		
	}	three-d 3-dimension\$2 (three US-5486995-A.DID.)		]
		near (dimension\$2 d)) same (model\$4 simulat\$4)		
	1	same (motion mov\$4 animat\$4) and (stor\$3 memory		1
	<u> </u>	database) with (model\$4 simulat\$4) and adjust\$4	<u></u>	

SPUB; 18:07 JPO; /ENT; TDB
/ENT;
/ENT;
ľ
T; 2004/08/31
SPUB; 18:07
JPO;
VENT;
TDB
.106
İ
AT; 2004/08/31
GPUB; 18:08
JPO;
VENT;
_TDB
1
•

127	0	("6226567" "6226567" "5831875" "6327518"	USPAT;	2004/08/31
		"6631308" "6224249" "6224249" "6252544"	US-PGPUB;	18:08
		"6292830" "6429812" "4956790" "5526254"	EPO; JPO;	
		"6330495" "5615104" "5613913" "5738584"	DERWENT;	
		"6271857" "4831548" "5475613" "5692144"	IBM_TDB	
		"4764179" "4851905" "4992962" "5267143"	_	
		"5455765" "5615108" "5696673" "5721677"		
		"5828566" "6268853" "5762983" "6088628"		
		"5184051" "5219291" "5483630" "5687295"		
		H001708 "5937143" "6005589" "6388655"		
		"6690156" "5495410" "5880956" "5819016"		
		"5775998" "5313385" "5495576" "5616031"		
		"5721691" "5724489").pn. and (graphic\$4 display\$3		
		screen) same (3-d 3d three-dimension\$2 three-d		
		3-dimension\$2 (three US-5486995-A.DID.) near		
		(dimension\$2 d)) same (model\$4 simulat\$4) same		
		(motion mov\$4 animat\$4) and ((stor\$3 memory		
		database) and adjust\$4) near4 (model\$4 simulat\$4)		0004/00/24 10:11
128	0	700/264 and (graphic\$4 display\$3 screen) same (3-d	USPAT;	2004/08/31 18:11
		3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	
		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and ((stor\$3 memory database) and adjust\$4) near4	IBM_TDB	
		(model\$4 simulat\$4) and (@ad<19991012	1	
	1	@rlad<19991012)		in the second
129	0	700/245 and (graphic\$4 display\$3 screen) same (3-d	USPAT;	2004/08/31 18:11
		3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	
		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and ((stor\$3 memory database) and adjust\$4) near4	IBM_TDB	
		(model\$4 simulat\$4) and (@ad<19991012		
		@rlad<19991012)		
130	1	1	USPAT;	2004/08/31
130	-	three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:12
		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and ((stor\$3 memory database) and adjust\$4) near4	IBM_TDB	
		(model\$4 simulat\$4) and (@ad<19991012		
1		@rlad<19991012)		
121	0	12.1	USPAT;	2004/08/31
131	1	3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:12
		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		(model \$4 simulat \$4) same (motion move 4 animat \$4)	IBM_TDB	
		and ((stor\$3 memory database) and adjust\$4) near4	1011_100	
		(model\$4 simulat\$4) and (@ad<19991012		
1	_	@rlad<19991012)	LICDAT	2004/08/31
132	0		USPAT;	18:12
		3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	10.12
		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and ((stor\$3 memory database) and adjust\$4) near4	IBM_TDB	
	[	(model\$4 simulat\$4) and (@ad<19991012	1	
	İ	@rlad<19991012)		

			Han AT	2004/09/21
133	0	700/161 and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three	USPAT; US-PGPUB; EPO; JPO;	2004/08/31 18:13
		U5-5486995-A.DID.) near (dimension\$2 d)) same	DERWENT;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	IBM_TDB	
		and ((stor\$3 memory database) and adjust\$4) near4	15/4_100	
	i	(model\$4 simulat\$4) and (@ad<19991012		
		@rlad<19991012)	USPAT;	2004/08/31
134	0	700/171 and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:13
		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and ((stor\$3 memory database) and adjust\$4) near4	IBM_TDB	
		(model\$4 simulat\$4) and (@ad<19991012	25	
		(mode) \$4 \$1min(1) \$4 \text{ and (edd-17771612})  @rlad-(19991012)		
125	0	700/247 and (graphic\$4 display\$3 screen) same (3-d	USPAT;	2004/08/31
135	U	3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:13
		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and ((stor\$3 memory database) and adjust\$4) near4	IBM_TDB	
		(model\$4 simulat\$4) and (@ad<19991012	_	
		@rlad<19991012)		
136	0	700/248 and (graphic\$4 display\$3 screen) same (3-d	USPAT;	2004/08/31
130		3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:13
1		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and ((stor\$3 memory database) and adjust\$4) near4	IBM_TDB	
		(model\$4 simulat\$4) and (@ad<19991012	·	
	İ	@rlad<19991012)	,	
137	o	700/249 and (graphic\$4 display\$3 screen) same (3-d	USPAT;	2004/08/31
	1	3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:13
ļ		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and ((stor\$3 memory database) and adjust\$4) near4	IBW_TDB	
		(model\$4 simulat\$4) and (@ad<19991012		
		@rlad<19991012)	LICOAT	2004/09/21
138	1	700/257 and (graphic\$4 display\$3 screen) same (3-d	USPAT;	2004/08/31
	1	3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:14
		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and ((stor\$3 memory database) and adjust\$4) near4	IBW_LDB	
İ		(model\$4 simulat\$4) and (@ad<19991012		
	_	@rlad<19991012)	USPAT;	2004/08/31
139	0	700/56 and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:13
		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	10.10
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and ((stor\$3 memory database) and adjust\$4) near4	IBM_TDB	
		(model\$4 simulat\$4) and (@ad<19991012		
		(model \$4 Simula (\$4) and (\$400.13331012)  @rlad<19991012)		
l		G1 Ind. 1333101c)		

140	0	700/59 and (graphic\$4 display\$3 screen) same (3-d	USPAT;	2004/08/31
170		3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:14
		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	10.1
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and ((stor\$3 memory database) and adjust\$4) near4	IBM_TDB	
		(model\$4 simulat\$4) and (@ad<19991012	15	
		@rlad<19991012)		
141	0	700/86 and (graphic\$4 display\$3 screen) same (3-d	USPAT;	2004/08/31
* '-		3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:14
	1	US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and ((stor\$3 memory database) and adjust\$4) near4	IBM_TDB	İ
	]	(model\$4 simulat\$4) and (@ad<19991012	15	}
	1	@rlad<19991012)		
142	o	700/97 and (graphic\$4 display\$3 screen) same (3-d	USPAT;	2004/08/31
		3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:14
	ļ	US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	10.1
	1	(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and ((stor\$3 memory database) and adjust\$4) near4	IBM_TDB	]
	'	(model\$4 simulat\$4) and (@ad<19991012		
		@rlad<19991012)		†
143	4	700/\$ and (graphic\$4 display\$3 screen) same (3-d	USPAT;	2004/08/31
	,	3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:14
	•	US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and ((stor\$3 memory database) and adjust\$4) near4	IBM_TDB	
		(model\$4 simulat\$4) and (@ad<19991012		
	]	@rlad<19991012)		
144	2	700/\$ and (graphic\$4 display\$3 screen) same (3-d	USPAT;	2004/08/31
		3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:15
	•	US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and ((stor\$3 memory database) and adjust\$4) near4	IBM_TOB	
		model\$4 and (@ad<19991012 @rlad<19991012)	_	
145	0	700/\$ and robot and (graphic\$4 display\$3 screen)	USPAT;	2004/08/31
		same (3-d 3d three-dimension\$2 three-d	US-PGPUB;	18:15
		3-dimension\$2 (three US-5486995-A.DID.) near	EPO; JPO;	
	<b>1</b>	(dimension\$2 d)) same (model\$4 simulat\$4) same	DERWENT;	
		(motion mov\$4 animat\$4) and ((stor\$3 memory	IBM_TDB	1
		database) and adjust\$4) near4 model\$4 and		1
	Í	(@ad<19991012 @rlad<19991012)		
146	0	901/\$ and robot and (graphic\$4 display\$3 screen)	USPAT;	2004/08/31
		same (3-d 3d three-dimension\$2 three-d	US-PGPUB;	18:15
		3-dimension\$2 (three US-5486995-A.DID.) near	EPO; JPO;	
	] .	(dimension\$2 d)) same (model\$4 simulat\$4) same	DERWENT;	
		(motion mov\$4 animat\$4) and ((stor\$3 memory	IBM_TDB	
		database) and adjust\$4) near4 model\$4 and	1	
		(@ad<19991012 @rlad<19991012)		

r			r	T
147	0	345/419 and robot and (graphic\$4 display\$3 screen)	USPAT;	2004/08/31
		same (3-d 3d three-dimension\$2 three-d	US-PGPUB;	18:16
		3-dimension\$2 (three US-5486995-A.DID.) near	EPO; JPO;	
		(dimension\$2 d)) same (model\$4 simulat\$4) same	DERWENT;	
		(motion mov\$4 animat\$4) and ((stor\$3 memory	IBM_TDB	
		database) and adjust\$4) near4 model\$4 and		
		(@ad<19991012 @rlad<19991012)	1	
149	0	345/473 and robot and (graphic\$4 display\$3 screen)	USPAT;	2004/08/31
÷		same (3-d 3d three-dimension\$2 three-d	US-PGPUB;	18:16
		3-dimension\$2 (three US-5486995-A.DID.) near	EPO; JPO;	
		(dimension\$2 d)) same (model\$4 simulat\$4) same	DERWENT;	
		(motion mov\$4 animat\$4) and ((stor\$3 memory	IBW_TDB	
	Ì	database) and adjust\$4) near4 model\$4 and	•	
	}	(@ad<19991012 @rlad<19991012)	J	
150	0	345/475 and robot and (graphic\$4 display\$3 screen)	USPAT;	2004/08/31
		same (3-d 3d three-dimension\$2 three-d	US-PGPUB;	18:16
		3-dimension\$2 (three US-5486995-A.DID.) near	EPO; JPO;	
		(dimension\$2 d)) same (model\$4 simulat\$4) same	DERWENT;	
i	1	(motion mov\$4 animat\$4) and ((stor\$3 memory	IBM_TDB	1
:	!	database) and adjust\$4) near4 model\$4 and		
		(@ad<19991012 @rlad<19991012)		
148	1	345/420 and robot and (graphic\$4 display\$3 screen)	USPAT;	2004/08/31
i		same (3-d 3d three-dimension\$2 three-d	U5-PGPUB;	18:17
		3-dimension\$2 (three US-5486995-A.DID.) near	EPO; JPO;	
,	) .	(dimension\$2 d)) same (model\$4 simulat\$4) same	DERWENT;	
		(motion mov\$4 animat\$4) and ((stor\$3 memory	IBM_TDB	
		database) and adjust\$4) near4 model\$4 and		
		(@ad<19991012 @rlad<19991012)		
151	6	345/420 and robot and (graphic\$4 display\$3 screen)	USPAT;	2004/08/31
2	1	same (3-d 3d three-dimension\$2 three-d	U5-PGPUB;	18:17
,		3-dimension\$2 (three US-5486995-A.DID.) near	EPO; JPO;	
		(dimension\$2 d)) same (model\$4 simulat\$4) same	DERWENT;	
		(motion mov\$4 animat\$4) and ((stor\$3 memory	IBM_TDB	
		database) and (adjust\$4 modif\$)) near4 model\$4 and		
		(@ad<19991012 @rlad<19991012)		
154	0	703/7 and robot and (graphic\$4 display\$3 screen)	USPAT:	2004/08/31
		same (3-d 3d three-dimension\$2 three-d	US-PGPUB;	18:17
		3-dimension\$2 (three US-5486995-A.DID.) near	EPO; JPO;	
		(dimension\$2 d)) same (model\$4 simulat\$4) same	DERWENT;	
		(motion mov\$4 animat\$4) and ((stor\$3 memory	IBM_TDB	
	ļ	database) and (adjust\$4 modif\$)) near4 model\$4 and	1	
		(@ad<19991012 @rlad<19991012)		
153	3	703/1 and robot and (graphic\$4 display\$3 screen)	USPAT;	2004/08/31
		same (3-d 3d three-dimension\$2 three-d	US-PGPUB;	18:17
	]	3-dimension\$2 (three US-5486995-A.DID.) near	EPO; JPO;	}
		(dimension\$2 d)) same (model\$4 simulat\$4) same	DERWENT;	
	}	(motion mov\$4 animat\$4) and ((stor\$3 memory	IBM_TDB	
	ļ	database) and (adjust\$4 modif\$)) near4 model\$4 and		
		(@ad<19991012 @rlad<19991012)		

155	3	703/\$ and robot and (graphic\$4 display\$3 screen)	USPAT;	2004/08/31
-50	•	same (3-d 3d three-dimension\$2 three-d	US-PGPUB;	18:18
1		3-dimension\$2 (three US-5486995-A.DID.) near	EPO; JPO;	
		(dimension\$2 d)) same (model\$4 simulat\$4) same	DERWENT;	
-		(motion mov\$4 animat\$4) and ((stor\$3 memory	IBM_TDB	
		database) and (adjust\$4 modif\$)) near4 model\$4 and		
		(@ad<19991012 @rlad<19991012)		
152	- 19	345/\$ and robot and (graphic\$4 display\$3 screen)	USPAT;	2004/08/31
132	•	same (3-d 3d three-dimension\$2 three-d	US-PGPUB;	18:20
		3-dimension\$2 (three US-5486995-A.DID.) near	EPO; JPO;	
ĺ		(dimension\$2 d)) same (model\$4 simulat\$4) same	DERWENT;	
		(motion mov\$4 animat\$4) and ((stor\$3 memory	IBM_TDB	
		database) and (adjust\$4 modif\$)) near4 model\$4 and		
		(@ad<19991012 @rlad<19991012)		
156	3	345/\$ and robot same (graphic\$4 display\$3 screen)	USPAT;	2004/08/31
130	3	same (3-d 3d three-dimension\$2 three-d	US-PGPUB;	18:21
}		3-dimension\$2 (three US-5486995-A.DID.) near	EPO; JPO;	
		(dimension\$2 d)) same (model\$4 simulat\$4) same	DERWENT;	
		(motion mov\$4 animat\$4) and ((stor\$3 memory	IBM_TDB	
		database) and (adjust\$4 modif\$)) near4 model\$4 and		
		(@ad<19991012 @rlad<19991012)		
	•		USPAT;	2004/08/31
157	0	318/568.11 and robot same (graphic\$4 display\$3	US-PGPUB;	18:21
		screen) same (3-d 3d three-dimension\$2 three-d	EPO; JPO;	10.22
		3-dimension\$2 (three US-5486995-A.DID.) near	DERWENT:	
		(dimension\$2 d)) same (model\$4 simulat\$4) same	IBM_TDB	
		(motion mov\$4 animat\$4) and ((stor\$3 memory	TRIVI_TOB	
		database) and (adjust\$4 modif\$)) near4 model\$4 and		
		(@ad<19991012 @rlad<19991012)	USPAT;	2004/08/31
158	0	715/502 and robot same (graphic\$4 display\$3	I.	18:22
		screen) same (3-d 3d three-dimension\$2 three-d	US-PGPUB;	10.22
		3-dimension\$2 (three US-5486995-A.DID.) near	EPO; JPO;	
		(dimension\$2 d)) same (model\$4 simulat\$4) same	DERWENT;	
		(motion mov\$4 animat\$4) and ((stor\$3 memory	IBW_TDB	
		database) and (adjust\$4 modif\$)) near4 model\$4 and		
		(@ad<19991012 @rlad<19991012)		2004/00/21
159	5	robot same (graphic\$4 display\$3 screen) same (3-d	USPAT;	2004/08/31
		3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:25
		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and ((stor\$3 memory database) and (adjust\$4	IBW_TDB	
		modif\$)) near4 model\$4 and (@ad<19991012		
		@rlad<19991012)		
160	18	robot same (graphic\$4 display\$3 screen) same (3-d	USPAT;	2004/08/31
		3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:24
		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and ((stor\$3 memory database)) near4 model\$4 and	IBW_TDB	
		(@ad<19991012 @rlad<19991012)		
163	15	robot same (graphic\$4 display\$3 screen) same (3-d	USPAT;	2004/08/31
		3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:25
		U5-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and (stor\$3 memory database) near2 model\$4 and	IBW_TDB	
		(@ad<19991012 @rlad<19991012)	1	

		(2.1	USPAT;	2004/08/31
166	15	robot same (graphic\$4 display\$3 screen) same (3-d	US-PGPUB;	18:25
		3d three-dimension\$2 three-d 3-dimension\$2 (three		10.23
		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO; DERWENT;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)		
		same (stor\$3 memory database) and (@ad<19991012 @rlad<19991012)	IBM_TDB	
167	0	robot same (graphic\$4 display\$3 screen) same (3-d	USPAT;	2004/08/31
10,	_	3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:33
		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		same ((stor\$3 memory database) and (adjust\$4	IBM_TDB	
		modif\$)) and (@ad<19991012 @rlad<19991012)		
168	2	robot same (graphic\$4 display\$3 screen) same (3-d	USPAT;	2004/08/31
		3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:26
		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		same ((stor\$3 memory database) and (adjust\$4	IBM_TDB	
		modif\$))	ł i	
169	11	robot and (graphic\$4 display\$3 screen) same (3-d 3d	USPAT;	2004/08/31
	<u> </u>	three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:32
		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		same ((stor\$3 memory database) and (adjust\$4	IBW_TDB	
		modif\$)) and (@ad<19991012 @rlad<19991012)	LICOAT	2004/09/21
170	5	robot same (graphic\$4 display\$3 screen) same (3-d	USPAT;	2004/08/31
		3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:44
		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
=		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT; IBM_TDB	
		and ((stor\$3 memory database) and (adjust\$4	IBW_10B	
		modif\$)) near4 model\$4 and (@ad<19991012		
475	10	@rlad<19991012) robot and (graphic\$4 display\$3 screen) same (3-d 3d	USPAT;	2004/08/31
175	19	three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:45
		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and ((stor\$3 memory database) and (adjust\$4	IBM_TDB	
		modif\$) and select\$4) near4 model\$4 and		
		(@ad<19991012 @rlad<19991012)		
176	5	robot same (graphic\$4 display\$3 screen) same (3-d	USPAT;	2004/08/31
170		3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:51
	1	US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and ((stor\$3 memory database) and (adjust\$4	IBW_TDB	
		modif\$) and select\$4) near4 model\$4 and		
		(@ad<19991012 @rlad<19991012)		
177	0		USPAT;	2004/08/31
		3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:46
		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and ((stor\$3 memory database) and (adjust\$4	IBW_TDB	
		modif\$) and select\$4) near2 model\$4 and		
		(@ad<19991012 @rlad<19991012)	1	

178	3	robot same (graphic\$4 display\$3 screen) same (3-d	USPAT;	2004/08/31
1,0		3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:46
1		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
:	:	(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
i		and ((stor\$3 memory database) and select\$4) near2	IBM_TDB	
		model\$4 and (@ad<19991012 @rlad<19991012)		·
179	0	robot same (graphic\$4 display\$3 screen) same (3-d	USPAT;	2004/08/31
.,,	_	3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:48
		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and ((adjust\$4 modif\$) and select\$4) near2 model\$4	IBM_TDB	
	,	and (@ad<19991012 @rlad<19991012)		
180	3	robot same (graphic\$4 display\$3 screen) same (3-d	USPAT;	2004/08/31
100	_	3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:49
		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and (adjust\$4 modif\$) near2 model\$4 and	IBM_TDB	
		(@ad<19991012 @rlad<19991012)		,
181	6	robot same (graphic\$4 display\$3 screen) same (3-d	USPAT;	2004/08/31
		3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:50
		U5-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	1
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and select\$4 near2 model\$4 and (@ad<19991012	IBM_TDB	
		@rlad<19991012)		
182	18	robot same (graphic\$4 display\$3 screen) same (3-d	USPAT;	2004/08/31
		3d three-dimension\$2 three-d 3-dimension\$2 (three	US-PGPUB;	18:53
		US-5486995-A.DID.) near (dimension\$2 d)) same	EPO; JPO;	
		(model\$4 simulat\$4) same (motion mov\$4 animat\$4)	DERWENT;	
		and (stor\$3 memory database) near4 model\$4 and	IBW_TDB	
		(@ad<19991012 @rlad<19991012)		